

Version: 1

Review date: 07/31/2025



SECTION 1: IDENTIFICATION

Product identifier used on the label Cera Express

Recommended use of the chemical and restrictions on use

Cera Express was developed with state-of-the-art waxes and silicones,

which protect and shine with total ease. It can be applied everywhere in the vehicle, including windows and bumpers and rubbers. As it does not contain abrasives, it can be used constantly in the painting of your vehicle, creating a layer of protection and shine with each application. It is also used to maintain and enhance the shine left by protective waxes.

Manufactured by EVC INDUSTRIAL LTDA

Address Rua Luis Francisco Xavier n.º 520 Paupina - Fortaleza, CE

Telephone number +55 0800 591 6496

Fax Not available

Emergency phone number +55 0800 591 6496

Email sac@vonixx.com.br e info@vonixx.com

Web site www.vonixx.com.br

SECTION 2: HAZARD(S) IDENTIFICATION

2.1 Classification of mixture

This product is not hazardous as defined under OSHA 1900.1200

2.2 Appropriate labeling elements

No specific element or phrase on the label.

2.3 Other hazards that do not result in classification

Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixture

Hazardous Ingredients or Impurities

Common chemical name or technical name	CAS Registration Number	Concentration or range
Acalinizante	110-91-8	0.09% - 0.11%

SECTION 4: FIRST-AID MEASURE

4.1 Description of first aid measures

Inhalation Remove victim to fresh air.

Skin contact Wash exposed skin with sufficient amount of water to remove material.

Eye contact Wash with plenty of water. Consult an ophthalmologist.

Ingestion Do not induce vomiting. Rinse victim's mouth with plenty of water. See a

doctor.

4.2 Most important symptoms/effects, acute and delayed

Not available

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media



Version: 1

Review date: 07/31/2025



Use water mist, alcohol resistant foam, carbon dioxide (CO₂) or dry chemical powder. Do not apply water jets directly.

5.2 Special hazards arising from the substance or mixture

Combustion of the chemical or its packaging can form irritating and toxic gases such as monoxide and carbon dioxide.

5.3 Special protective equipment and precautions for fire-fighters

Positive pressure self-contained breathing apparatus (SCBA) with full protective clothing. Containers and tanks involved in the fire should be cooled with water mist.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment, and emergency procedures

6.1.1 For personnel who are not part of the emergency services

Wear protective equipment. Isolate and flag the area. Do not smoke. Avoid contact with the product.

6.1.2 For emergency service personnel

Wear appropriate protective equipment. Keep unauthorized persons away.

6.2 Environmental precautions

Isolate the area. Prevent the spread of spilled material. Prevent spilled material from reaching waterways and sewers. Leaks should be reported to the manufacturer and / or environmental agencies.

6.3 Methods and materials for containment and cleaning up

Isolate spill or leak area to a radius of 50 meters at least in all directions. Use natural dikes or barriers to contain product leakage. Absorb with inert absorbent material (sand, diatomite, vermiculite). If it is possible to seal the leak by using bungs, sealing tape or by inverting the hole / tear / dent up. Collect all material in suitable, properly labeled containers for later treatment and disposal. Waste must be disposed of in accordance with Local, State or Federal environmental legislation. For transhipment check an appropriate location and perform the safety procedures described above.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in a well-ventilated area or general local exhaust / ventilation system. Avoid formation of vapors and mists. Avoid contact with incompatible materials. Adopt personal protective measures. Observe the expiration date. Do not reuse the empty package. Do not wash containers in lakes, fountains, rivers and other bodies of water. Do not eat, drink or smoke while handling the product. Wash after handling, especially before meals. After work, remove protective clothing and bathe.

7.2 Conditions for safe storage, including any incompatibilities

Store in covered, dry and well-ventilated area. Protect packaging from physical damage. Keep container tightly closed when not in use. Keep away from incompatible materials, odorous or toxic substances.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Appropriate engineering controls

Provide local exhaust or general ventilation in the work area to minimize vapor concentration. Eye wash supplies and emergency safety showers should be available in the immediate vicinity of any potential exposure.

Morpholine (110-91-8)						
ACGIH	TWA: Not available (mg/m³)	TWA: 20 ppm	STEL: Not available (mg/m³)	STEL: Not available (ppm)	(C): Not available (mg/m³)	(C): Not available (ppm)

8.2 Exposure controls

Biological Limit (s)

Not available

8.3 Personal protective equipment

Eye/face protection

Eye protection (wide vision safety glasses).

Skin and body protection

Apron. Safety shoes. Gloves.



Version: 1

Review date: 07/31/2025



Respiratory protection Respiratory protection mask.

Thermal hazards There are no thermal hazards related to this product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Liquid viscous, White.

Odor and odor threshold Lavender

pH Not available

Melting point/freezing point Not available

Initial boiling point and boiling range Not available

Flash point Not available

Evaporation rate Not available

Flammability (solid, gas)

Not available

Upper/lower flammability or explosive limits Not available

Vapor pressure Not available

Vapor density Not available

Relative density >= 0.99 to 1 g/cm³ to 25 °C

Solubility(ies) Miscible in water

Partition coefficient: n-octanol/water Not available

Auto-ignition temperature Not available

Decomposition temperature Not available

Kinematic viscosity Not available

Dynamic viscosity >= 1500 to 3000 cP 25 °C

Additional information Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity Not available

Chemical stability The product is chemically stable under standard ambient conditions.

Possibility of hazardous reactions Not available

Conditions to avoid High temperatures.

Incompatible materials Not available

Hazardous decomposition products No known hazardous products of decomposition

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity Not available

Skin corrosion/irritation Not available



Version: 1

Review date: 07/31/2025



Serious eye damage/eye irritation	Not available
Respiratory or skin sensitization	Not available
Germ cell mutagenicity	Not available
Carcinogenicity	Not available
Toxicity to reproduction	Not available
Specific target organ toxicity - single exposure	Not available
Specific target organ toxicity - repeated exposure	Not available
Aspiration hazard	Not available

SECTION 12: ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Not available

12.2 Persistence and degradability

The product is expected to be non-persistent and rapidly degradable.

12.3 Bioaccumulative potential

Alcalinizante

Bioconcentration factor (BCF): < 2.8.

Partition coefficient n-octanol /water (log Kow): -2.55 to 25 °C.

12.4 Mobility in soil

Not available

12.5 Other adverse effects

Not available

SECTION 13:	DICEOCAL	ONSIDERATIONS
OLUTION 13.	DIOI COAL O	

13.1 Waste treatment methods

Product Treatment and disposal procedures should be evaluated individually for

each product. Existing federal, state and local laws should be consulted.

Rest of the product in their original packaging and properly

sealed. Disposal must be performed as established for the product.

Used packaging. These may contain product debris and

should be kept closed and shipped for proper disposal as established

for the product.

SECTION 14: TRANSPORT INFORMATION

Ground transportation UN - "United Nations" Recommendations on the TRANSPORT OF

DANGEROUS GOODS. Model Regulations

Maritime transport

Rules of maritime authority (NORMAM). NORMAM 01/DPC: vessels employed in open sea navigation. NORMAM 02/DPC: vessels employed in interior navigation. IMO - "International Maritime Organization".

International Maritime Dangerous Goods Code (IMDG Code).



Version: '

Review date: 07/31/2025



Air transport

SUPPLEMENTARY INSTRUCTION - IS. ICAO \"International Civ Aviation Organization\" - Doc 9284-NA / 905. IATA - \"International Air Transport Association\". Dangerous Goods Regulation (DGR).

Product not classified as hazardous for transport.

UN number

SECTION 15: REGULATORY INFORMATION

29 CFR 1910.1200, Hazard Communication
29 CFR 1910.272, Grain Handling Facilities
Regulation 1272:2008: GHS, United Nations, 3th Revised Edition, 2009
UN Recommendations on the TRANSPORT OF DANGEROUS GOODS. Model Regulations, 19th Edition, 2009.
Globally Harmonized System of Classification of Chemicals (GHS), 5th Edition, 2013

SECTION 16: OTHER INFORMATION

References NIOSH: NATIONAL INSTITUTE OF OCCUPATIONAL AND SAFET

International Chemical Safety Cards. Available in: Access in:

07/31/2025

ECHA: EUROPEAN CHEMICAL AGENCY. Available inAccess in:

07/31/2025

LevelOne: Level One Solutions Consultoria Ltda. Available in:

https://www.levelonesolutions.com.br. Access in: 07/31/2025

Subtitles and abbreviations

Not available

Other information

This SDS has been prepared on the basis of current knowledge on the proper handling of the product and under normal conditions of use,

according to the application specified on the package. Any other use of the product that involves its combination with other materials, in addition to forms of use other than those indicated, are the responsibility of the user. It is advised that the handling of any chemical substance requires prior knowledge of its hazards by the user. At the workplace, the company that uses the product should promote the training of its employees regarding the possible risks arising from exposure to the

chemical.